

TECHNICAL EQUIPMENT of LLC Tyumenneftservice:



LIFTING UNITS FOR wellservice (13 units):

- Units are intended for carrying out the tripping operation with pump and compressor pipes, drill-pipes, pump rod. Also for fishing, well abandonment; sand bridge milling, drill out shoe track, millings of metal objects, development of wells after drilling and well-drilling when using the additional equipment rotor or power swivel.
- In work there are 13 units of lifting units.

Name of the lifting unit	АПРС-40	АПРС-50	АПР 60/80	АПР 80
Nominal loading capacity, ton	40	50	60	80
The most admissible loading capacity (short-term), ton	50	50	80	80
Height of raising of a hook, m	14	17	17,5	18
Wheel base (chassi)	Урал-4320 Ural-4320	Краз-4320 KrAZ-4320	КрАЗ-63221 KrAZ-63221	КрАЗ-63221-04 KrAZ-63221-04
Quantity of units (year of release)	2 (2006)	2 (2006)	1 (2011)	1 (2017)
	2 (2007)	1 (2007)	1 (2014)	
	1 (2008)		1 (2016)	
	1 (20012)		1 (2017)	

TECHNICAL EQUIPMENT of LLC Tyumenneftservice:

CAPACITOR EQUIPMENT (13 units):



Name	The combined block of makeup	Trailer capacity
Quantity of units	10	3
Volume, m ³	12	25
Quantity of units (year of release)	4 (2013)	1 (2012)
	2 (2014)	2 (2014)
	2 (2014)	

Technological capacities and blocks of of makeup are a component of circulating system, intend for storage of liquid on subject to works and supply of liquid to the well.



Name of special equipment	Designation	Quantity of units
Acid carrier	СИН-37	1
Cementing unit	ЦА-320	5
Mobile steam heater	ППУ	2
Mobile vacuum-operated tanks	АКНС	4
The acid swinging unit	СИН-32	6
Tanker truck	АЦ	4
Mobile workshop	ПРМ	1
Truck crane	КС-35714	2
Truck tractor	-	3
Tanker truck for drinking water	АЦ-4	1
Mobile laboratory	УАЗ	1

TECHNICAL EQUIPMENT of LLC Tyumenneftservice:

CAPACITOR EQUIPMENT (13 units):

The complete set of crews comply to requirements of "the STANDARD SHEET of EQUIPMENT of CREWS of KRS" technical equipment of LLC Tyumenneftservice

- lifting units for wellservice APRS-40, APRS-50 or Agrarian Party of Russia-60/80 units;
 - reception pipe ramp;
 - the combined blocks of makeup $V=12 \text{ m}^3$ with ditch system and the tool box on the chassis;
 - GKS-1500 casing tongs complete with SPG-75, GKSh-300 set;
 - PPO-2FT 152x210, PPS-2FT 152x210 preventers and rod stuffing box;
 - KGOM set;
 - IVE-50 weight indicator;
 - sets of technological NKT with high-strength locks of the brand "K" ("E") on 160 pieces.
 - in need of performance of specialized works, on the basis of production providing there is a technological pipe of brand "K" and brand "E";
 - mobile and satellite communication, video fixing of work of crew;
 - in crews there is necessary documentation including regulations of performance of technological operations and separate types of works, posters on PB, OT and OOC.
 - wire spool UNRK-2000 type on the chassis;
 - bottomhole VZD-105 engines, diesel power plants;
 - the master's car-house-office, point of food, shower cabins, berths on 10 people.
- On BPO: set of a boring pipe 27/8 of the L brand of the left 3000 m, set of a boring pipe 27/8 of the L brand of the right 3000 m.
- Various instrument and the equipment for accident elimination is also complicated